

SECTION 1: Identification of the substance / preparation and of the company

1.1 Product identifier

febi 39070 DSG - Gear oil
Article number 39070, 39071

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Gearbox oil

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG
Wilhelmstr. 47
58256 Ennepetal / GERMANY
Phone +49 2333 911-0
Fax +49 2333 911-444
Homepage www.febi.com
E-mail info@febi.com

Address enquiries to

Technical information info@febi.com

Safety Data Sheet info@febi.com

1.4 Emergency phone

Advisory body +49 (0)89-19240 (24h) (english)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]

see SECTION 16

2.1.2 Classification according to Regulation 67/548/EEC or 1999/45/EC

R 52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

2.2 Label elements

The product is classified and required to be labelled in accordance with EC-Directives

Labelling according to Regulation 67/548/EEC or 1999/45/EC

Hazard symbols none

R-phrases R 52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrases S 61: Avoid release to the environment. Refer to special instructions, safety data sheets.

2.3 Other hazards

Human health dangers If swallowed or in the event of vomiting, risk of product entering the lungs. Frequent persistent contact with the skin can cause skin irritation.

Environmental hazards Does not contain any PBT or vPvB substances.

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

Product-type:

The product is a mixture.

| Range [%] | Substance |
|-----------|--|
| 0,1 - < 1 | Alkyl thiophosphites EINECS/ELINCS: 424-820-7, ECB-Nr.: 01-0000017126-75-xxxx GHS/CLP: Skin Corr. 1B: H314 - Acute Tox. 4: H312 - Aquatic Chronic 1: H410 EEC: C-N, R 34-21-50/53 |
| 0,1 - < 1 | amine, ethoxylated EINECS/ELINCS: Polymer GHS/CLP: Eye Dam. 1: H318 - Aquatic Chronic 2: H411 EEC: Xi-N, R 41-51/53 |

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.
For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Change soaked clothing.

Inhalation

Ensure supply of fresh air.
In the event of symptoms seek for medical treatment.

Skin contact

When in contact with the skin, clean with soap and water.
Consult a doctor if skin irritation persists.

Eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion

Seek medical advice immediately.
Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
If swallowed or in the event of vomiting, risk of product entering the lungs.
Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam, dry powder, water spray jet, carbon dioxide.

Extinguishing media that must not be used

Full water jet.

5.2 Special hazards arising from the substance or mixture

Unknown risk of formation of toxic pyrolysis products.

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.
Use self-contained breathing apparatus.
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Some risk of slipping due to spillage of product.
Forms slippery surfaces with water.



Ferdinand Bilstein GmbH + Co. KG

Date printed 18.02.2014, Revision 11.02.2014

Version 02. Supersedes version: 01

Page 3 / 8

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. oil binder).
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid formation of aerosols.
Use only in well-ventilated areas.

Do not eat, drink or smoke when using this product.
After worktime and before work breaks the affected skin areas must be thoroughly cleaned.
Use barrier skin cream.
Cloths contaminated with product should not be kept in trouser pockets.
Contaminated work clothing should not be allowed out of the workplace.
Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Prevent penetration into the ground.
Do not store together with food and animal food/diet.
Keep container in a well-ventilated place.
Keep container tightly closed.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

| Range [%] | Substance |
|--|-------------|
| | Mineral oil |
| Long-term exposure: 5 mg/m ³ , Oil mist, 84 | |

Ferdinand Bilstein GmbH + Co. KG

Date printed 18.02.2014, Revision 11.02.2014

Version 02. Supersedes version: 01

Page 4 / 8

8.2 Exposure controls

| | |
|--|---|
| Additional advice on system design | Ensure adequate ventilation on workstation. |
| Eye protection | Safety glasses. |
| Hand protection | The details concerned are recommendations. Please contact the glove supplier for further information. Nitrile rubber, >120 min (EN 374). butyl rubber, > 120 min (EN 374) |
| Skin protection | light protective clothing |
| Other | Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier. Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin. |
| Respiratory protection | Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P2. |
| Thermal hazards | No information available. |
| Delimitation and monitoring of the environmental exposition | See SECTION 6+7. |

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|--|
| Form | liquid |
| Color | yellow |
| Odor | characteristic |
| Odour threshold | not determined |
| pH-value | not applicable |
| pH-value [1%] | not applicable |
| Boiling point [°C] | not applicable |
| Flash point [°C] | 210 (EN ISO 2592)(COC) |
| Flammability [°C] | Not explosive. |
| Lower explosion limit | not applicable |
| Upper explosion limit | not applicable |
| Oxidizing properties | no |
| Vapour pressure/gas pressure [kPa] | not determined |
| Density [g/ml] | 0,849 (DIN 51757) (15 °C / 59,0 °F) |
| Bulk density [kg/m³] | not applicable |
| Solubility in water | virtually insoluble |
| Partition coefficient [n-octanol/water] | not determined |
| Viscosity | 33,2 mm ² /s 40°C (DIN 51562) |
| Relative vapour density determined in air | not determined |
| Evaporation speed | not determined |
| Melting point [°C] | not determined |
| Autoignition temperature [°C] | not applicable |
| Decomposition temperature [°C] | not determined |

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.



Ferdinand Bilstein GmbH + Co. KG

Date printed 18.02.2014, Revision 11.02.2014

Version 02. Supersedes version: 01

Page 5 / 8

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

not determined

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

| Range [%] | Substance |
|-----------|--------------------------------|
| 0,1 - < 1 | Alkyl thiophosphites |
| | LD50, dermal, > 500 mg/kg. |
| | LD50, oral, Rat: > 2000 mg/kg. |

| | |
|---|----------------|
| Serious eye damage/irritation | not determined |
| Skin corrosion/irritation | not determined |
| Respiratory or skin sensitisation | not determined |
| Specific target organ toxicity — single exposure | not determined |
| Specific target organ toxicity — repeated exposure | not determined |
| Mutagenicity | not determined |
| Reproduction toxicity | not determined |
| Carcinogenicity | not determined |
| General remarks | |

Toxicological data of complete product are not available.
 No classification on the basis of the calculation procedure of the preparation directive.
 The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 12: Ecological information

12.1 Toxicity

| Range [%] | Substance |
|-----------|------------------------------|
| 0,1 - < 1 | Alkyl thiophosphites |
| | LC50, (96h), fish: 1,5 mg/l. |

12.2 Persistence and degradability

| | |
|--|----------------|
| Behaviour in environment compartments | not determined |
| Behaviour in sewage plant | not determined |
| Biological degradability | not determined |

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.



Ferdinand Bilstein GmbH + Co. KG

Date printed 18.02.2014, Revision 11.02.2014

Version 02. Supersedes version: 01

Page 6 / 8

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

The product was classified on the basis of the calculation procedure of the preparation directive.
Ecological data of complete product are not available.
Do not discharge product unmonitored into the environment or into the drainage.
The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Disposal in an incineration plant in accordance with the regulations of the local authorities.
In according to RoHS!

Waste no. (recommended)

130205* mineral-based non-chlorinated engine, gear and lubricating oils

Contaminated packaging

Uncontaminated packaging may be taken for recycling.
Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended)

150110*
150102
150104

SECTION 14: Transport information

14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

| | |
|--|---|
| EEC-REGULATIONS | 1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC |
| TRANSPORT-REGULATIONS | DOT-Classification, ADR (2013); IMDG-Code (2013, 36. Amdt.); IATA-DGR (2013). |
| NATIONAL REGULATIONS (GB): | EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4 |
| - Observe employment restrictions for people | no |
| - VOC (1999/13/CE) | 0 % |

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Classification according to Regulation (EC) No 1272/2008 [CLP]

Hazard pictograms

Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects.

Classification procedure

Classification according to conversion table Annex VII 1272/2008/EC

16.2 R-phrases (SECTION 3)

R 41: Risk of serious damage to eyes.
R 51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R 34: Causes burns.
R 21: Harmful in contact with skin.
R 50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

16.3 Hazard statements (SECTION 3)

H410 Very toxic to aquatic life with long lasting effects.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H411 Toxic to aquatic life with long lasting effects.
H318 Causes serious eye damage.

16.4 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
ELINCS = European List of Notified Chemical Substances
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform Chemical Information Database
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
TLV@/TWA = Threshold limit value – time-weighted average
TLV@STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.5 Other information

Modified position

SECTION 4 been added: Forward this sheet to the doctor.
SECTION 7 been added: Take off contaminated clothing and wash before reuse.
SECTION 7 been added: Contaminated work clothing should not be allowed out of the workplace.
SECTION 8 been added: butyl rubber, > 120 min (EN 374)
SECTION 9 been added: Not explosive.